

Molten chloride mixtures are of great scientific and technical interest for sensible heat storage in solar power generation. In this work, the condensed phases in a LiCl-NaCl-KCl-ZnCl<sub>2</sub> multicomponent system were critically evaluated and predicted via literature review and simulations of LiCl-KCl and KCl-ZnCl<sub>2</sub> systems. Two innovative ...

In response to the challenges of environmental deterioration and the energy crisis, the new energy industry around the world has been developing rapidly in recent years [1]. Lithium-ion batteries stand out in the new energy field and are widely utilized in energy storage devices/systems because of their long cycle life, high specific energy, and higher power ...

The cold thermal energy storage (TES), also called cold storage, are primarily involving adding cold energy to a storage medium, and removing it from that medium for use at a later time. It can efficiently utilize the renewable or low-grade waste energy resources, or utilize the night time low-price electricity for the energy storage, to ...

Basic properties of eutectic chloride salts NaCl-KCl-ZnCl<sub>2</sub> and NaCl-KCl-MgCl<sub>2</sub> as HTFs and thermal storage media measured using simultaneous DSC-TGA. ... One solution for this problem is the concentrated solar thermal power (CSP) and thermal storage. ... Power tower concentrating solar plants with thermal energy storage will play a key role in ...

DOI: 10.1016/j.molliq.2023.121557 Corpus ID: 257370942; Efficient thermal energy storage achieved by NaCl-CuO composite phase change material: A molecular dynamics study @article{Guo2023EfficientTE, title={Efficient thermal energy storage achieved by NaCl-CuO composite phase change material: A molecular dynamics study}, author={Chaxiu Guo and ...

Chloride, fluoride, and carbonate salts act as potentially promising thermal storage media for high-temperature thermal energy storage (TES) systems. In this study, the eutectic components of three ternary molten salts; i.e., NaCl-KCl-LiCl, NaCl-KCl-NaF, and NaCl-KCl-Na<sub>2</sub>CO<sub>3</sub> were first predicted by using thermodynamic calculations ...

NaCl-KCl-CaCl<sub>2</sub> eutectic salt was developed using the thermodynamic calculation and experimental validation for the ultra-high-temperature thermal storage. Substitutional solution model (SSM) was used to describe the liquid phase and solid solution phase, and stoichiometric compound was applied to depict the intermediate phase. The predicted eutectic temperature ...

NaCl-KCl-CaCl<sub>2</sub> eutectic salt was developed using the thermodynamic calculation and experimental validation for the ultra-high-temperature thermal storage. Substitutional solution model (SSM) was used to

describe the liquid phase and solid solution phase, and stoichiometric compound was applied to depict the intermediate phase.

Du et al. [22] designed the ternary eutectic chloride salt ( $\text{NaCl-CaCl}_2\text{-MgCl}_2$ ) used for thermal energy storage in a CSP system. The thermal properties of proposed salt were investigated by means of experimental method using the Differential Scanning Calorimeter (DSC) technique, but the melting point of the proposed molten salt is only 694 K ...

A form stable  $\text{NaCl-Al}_2\text{O}_3$  (50-50 wt-%) composite material for high temperature thermal energy storage was fabricated by cold sintering process, a process recently applied to the densification of ceramics at low temperature 300°C under uniaxial pressure in the presence of small amount of transient liquid. The fabricated composite achieved as high as 98.65% of the ...

A new eutectic chloride molten salt,  $\text{MgCl}_2\text{-KCl-NaCl}$  (wt% 45.98-38.91-15.11), has been recognized as one of the most promising high-temperature heat transfer fluids (HTF) for both heat transfer and thermal storage for the third-generation concentrated solar power (CSP) systems. For the first time, some essential thermophysical properties of this eutectic chloride ...

The use of molten salts as phase change materials (PCMs) for medium temperature thermal energy storage is common. However, these materials are associated with limitations, including leakage during the phase change process, low thermal conductivity, and low moisture resistance for specific types of molten salts such as  $\text{LiNO}_3/\text{NaCl}$ . This research focuses on ...

Molten salts have been widely used as a kind of high-temperature thermal energy storage materials taking its advantage of high heat storage density and good stability. In this paper, the eutectic chloride salt ( $\text{NaCl-CaCl}_2$ , 52-48mol.%) was prepared by a statically mixing method assessing its thermal energy storage performance for concentrating solar power ...

1 Introduction. Chloride molten salts have been considered as the potential candidates for the heat transfer fluid and thermal energy storage (TES) for the next-generation concentrating solar power (CSP) plants, owing to their thermal stability, low cost, low melting point, high boiling point and good heat transfer property [1,2,3,4], e.g., NaCl and KCl (ionic chloride salts) are earth ...

Despite a great amount of attention has focused on thermal energy storage in CSP systems, and a lot of CPCMs have been prepared to enhance the thermal conductivity and heat capacity of molten salts based PCMs, so as to improve the charging and discharging rate of the CSP system, available research focuses mainly on the thermal properties experiments of ...

The high energy storage density of the  $\text{NaNO}_3$ -based salts can provide the highly efficient solution for the thermal energy storage application. NaF and/or NaCl salts have been proposed as the promising candidate medium for improving the fusion enthalpy of nitrate salts because of high fusion enthalpy, i.e., 776.0 J/g for

NaF and 457.0 J/g for ...

Yang added various proportions of NaCl/NaCl solution into the n-octadecane-based PCMs for thermal energy storage. The experimental results showed that 20 wt% NaCl solution has the greatest effect on the thermal performance. The supercooling degree had been minimized up to 6 °C with the addition of NaCl.

Thermal properties and thermal stability of the ternary eutectic salt NaCl-CaCl<sub>2</sub>-MgCl<sub>2</sub> used in high-temperature thermal energy storage process Appl. Energy, 204 ( 2017 ), pp. 1225 - 1230 View PDF View article View in Scopus Google Scholar

Phase change materials (PCMs) are the effective substances for thermal energy storage. Unfortunately, various problems such as high supercooling degree, low crystal growth rate and poor thermal conductivity greatly hinder the large-scale utilization of PCMs. The present study focuses on improving the crystallization and decreasing supercooling degree by adding ...

The weight loss was still less than 6.0% even up to 900 °C. The thermal stability of NaCl-KCl-NaF ternary eutectic salt was very high. The perfect thermal stability of NaCl-KCl-NaF eutectic salt at high temperatures indicate that it is can be completely fulfilled the working temperature range of TES system with S-CO<sub>2</sub> power generation.

Lithium-ion batteries are at risk of immersion in seawater during practical applications, presenting a substantial safety challenge. In this work, the thermal runaway characteristics and degree of corrosion of 18,650 lithium-ion batteries were examined at various NaCl concentrations and states of charge (SOCs). Results indicate that corrosion increases ...

A thermodynamic description of LiCl-NaCl-CaCl<sub>2</sub>-ZnCl<sub>2</sub> system was critically developed based on computational thermodynamic principles. The Gibbs energy of liquid phases for LiCl-NaCl-CaCl<sub>2</sub>-ZnCl<sub>2</sub> were described by the substitutional solution model (SSM) and the associate solution model (ASM). Thermodynamic database was successfully established for ...

Thermal energy storage (TES) technology is one of the most ideal energy storage technologies. ... EG powders were dispersed in a uniformly distributed ethanolic solution of PVP to obtain EG-PVP paste mixture. The paste mixture was coated on NaCl core spheres and dried to obtain NaCl@EG spheres, in which the thickness of the EG layer was ...

Thermal energy storage can solve the problem of unstable solar energy and industrial waste heat recovery. In the heat storage system, heat storage material is a very important component. ... The experimental exploration of sodium chloride solution on thermal behavior of phase change materials [J] Sol. Energy Mater. Sol. Cells, 139 (2015), pp ...

Using phase change materials (PCMs) for thermal energy storage has always been a hot topic within the

## **NaCl solution as thermal energy storage**

research community due to their excellent performance on energy conservation such as energy efficiency in buildings, solar domestic hot water systems, textile industry, biomedical and food agroindustry. Several literatures have reported phase change materials concerning ...

Web: <https://wholesalesolar.co.za>