

# Primordial black hole in solar system

What are primordial black holes?

In cosmology, primordial black holes (PBHs) are hypothetical black holes that formed soon after the Big Bang.

Could a primordial black hole flyby change the orbit of planets?

Primordial black hole flybys might tweak the orbits of planets and GPS satellites. A primordial black hole in the solar system (illustrated) could make its presence known by altering the orbits of planets. Black holes about the size of a hydrogen atom could be careening through the solar system unnoticed. But their days of stealth may be numbered.

Could a black hole fly through the Solar System a decade?

Here's how it works. If microscopic black holes born a fraction of a second after the Big Bang exist, as some researchers suspect, then at least one may fly through the solar system per decade, generating tiny gravitational distortions that scientists can detect, a new study finds.

Could asteroid-mass primordial black holes whiz through the inner Solar System?

Asteroid-mass primordial black holes might whiz through the inner solar system just once a decade. Luckily, scientists have decades of data on satellites' trajectories. The same goes for Mars' orbit, thanks to rovers and satellites around the planet.

Could primordial black holes explain dark matter?

If they exist, primordial black holes in this mass range could explain some or all of the universe's dark matter (SN: 8/7/16). That unknown invisible source of mass exerts gravitational influence on galaxies and, perplexingly, seems to outweigh normal matter by about 6 to 1.

Did black holes form in the early universe?

Some scientists think smaller black holes might have formed in the early universe, perhaps from quantum fluctuations that caused portions of space to collapse directly. When such a primordial black hole passes close to a planet, it could produce noticeable effects despite its tiny size, researchers report September 17 in *Physical Review D*.

neutron-star system GW170817 and of its electromagnetic counterpart [3, 10] had ... solar range. Fig. 2 shows that, in this regime, even LIGO-A# cannot go significantly ... Gravitational-wave observations and primordial black holes 5 101 102 103 frequency [Hz] 10 14

Proving primordial black holes. If researchers want to prove the theory of primordial black holes, they have to confirm that the wobble they saw of Mars wasn't caused by another source like a passing asteroid. "State-of-the-art simulations of the solar system include more than a million objects, each of which has a tiny residual effect," study co-author and ...

# Primordial black hole in solar system

Scientific American has surprising news about the possibility of black holes the size of an atom but containing the mass of an asteroid -- the so-called "primordial black holes" formed after the birth of the universe which could solve the ongoing mystery of the missing dark matter. These atom-sized black holes "may fly through the inner solar system about once a ...

**Types of Black Holes** Astronomers generally divide black holes into three categories according to their mass: stellar-mass, supermassive, and intermediate-mass. The mass ranges that define each group are approximate, and scientists are always reassessing where the boundaries should be set. Cosmologists suspect a fourth type, primordial black holes formed during the birth of ...

We show that the Global Navigation Satellite System (GNSS) and gravimeters on Earth and in space can potentially offer the most accurate direct measurement of local density of near-Earth asteroid-mass primordial black holes (PBHs) and dark matter (DM) clumps in the Solar System by means of gravitational influence. Using semianalytical methods and Monte Carlo ...

**Overview**HistoryFormationImplicationsObservational limits and detection strategiesDifference from direct collapse black holesSee alsoIn cosmology, primordial black holes (PBHs) are hypothetical black holes that formed soon after the Big Bang. In the inflationary era and early radiation-dominated universe, extremely dense pockets of subatomic matter may have been tightly packed to the point of gravitational collapse, creating primordial black holes without the supernova compression typically needed to make blac...

The team worked out the rate at which a primordial black hole should pass through the Solar System, based on the amount of dark matter that is estimated to reside in a given region of space and the mass of a passing black hole, which in this case, they assumed to be as massive as the largest asteroids in the Solar System, consistent with other ...

In principle, a primordial black hole's gravitational pull "could produce wobbles in the orbits of objects in the solar system that are big enough for us to measure." The scientists ended up focusing on primordial black holes flying near the inner planets of the solar system -- Mercury, Venus, Earth and Mars .

**Primordial black holes and Mars.** Why does Mars, out of all the planets, offer the best chance of detection? Sarah Geller, a postdoctoral researcher at the University of California at Santa Cruz and one of the study's co-authors, explains, "Primordial black holes don't ...

**Primordial Black Holes in the Solar System ...** Primordial black holes (PBHs) as a dark matter (DM) candidate have been studied for half a century (Carr & Green 2024), gaining special attention after the first direct detection of gravitational waves from binary black hole mergers

The team worked out the rate at which a primordial black hole should pass through the solar system, based on the amount of dark matter that is estimated to reside in a given region of space and the mass of a passing black

# Primordial black hole in solar system

hole, which in this case, they assumed to be as massive as the largest asteroids in the solar system, consistent with other ...

Title: Close encounters of the primordial kind: a new observable for primordial black holes as dark matter  
Authors: Tung X. Tran, Sarah R. Geller, Benjamin V. Lehmann, David I. Kaiser First Author's Institution:  
Center for Theoretical Physics, Massachusetts Institute of Technology, Cambridge, MA Status: Submitted to  
Arxiv [Open Access] While astrophysicists ...

An asteroid-mass primordial black hole flying near a planet could perturb the planet's orbit by a detectable amount. Journals. Physical Review Letters; Physical Review X; PRX Energy; PRX Quantum ... The Solar System as a Black Hole Detector. September 17, 2024 & bullet; Physics 17, s98.

Web: <https://wholesalesolar.co.za>